



甬翔塑业  
YONGXINAG PLASTIC



甬翔位置  
YONGXINAG POSITION

宁波甬翔塑业有限公司 (原余姚市晨飞喷雾器厂)  
NINGBO YONGXIANG PLASTICS INDUSTRY CO.,LTD.

宁波嘉泽国际贸易有限公司  
NINGBO JIAZE INTERNATIONAL TRADE CO.,LTD.

浙江省余姚市阳明街道小微工业园区灵旗路 19 号  
No.19 Lingqi road , Fangqiao industrial zone,  
Yangming Street, Yuyao city , Zhejiang province , China  
电话 /TEL:+86-574-6280 0585  
传真 /Fax:+86-574-6247 0428  
邮箱 /E-mail: manager@yongxiangplastics.com  
manager@chenfeisprayer.com

甬翔

Home &  
Personal  
Care

Cosmetic  
Packaging

since 2025

## 了解我们 About Us

宁波甬翔塑业有限公司地处余姚市阳明街道小微工业园区，公司专业生产真空瓶，方枪，喷头，乳液泵，粉泵等几大系列几百个品种，是美容美发、医药、洗涤包装配套的专业厂家。拥有精良的开模设备，经验丰富的技术队伍，形成了集模具研发、注塑成型、无尘装配、自动作业为一体的生产流程，日产系列产品已达 150 万套以上的生产规模。产品远销美国、日本等国家。

公司拥有独特的模具设计、制作、全自动注塑成型、装配及检测等一整套完整的设计设备，视产品质量为生命，以专业为优势，多年来以优质的产品赢得了国内外客户的青睐。

我们将一如既往地秉承“求实、完善，铸造品质，和谐、进取，共同发展”的宗旨，依托高新的技术设备，优质的软硬件投入，优良的品质，专业的精神不断发展创新，努力打造包材行业国际化企业。

NINGBO YONGXIANG PLASTICS INDUSTRY CO., LTD was established in 2011, is specialized in vacuum bottle, sprayers, pumps and different types of cosmetics package.

We have sophisticated mold opening equipment, experienced technical team, formed a set of mold research and development injection molding. Clean assembly, automatic operation as one of the production process. Daily production scale up to more than 1.5 million units of products.

We have certification of ISO 9001, ISO 13483, ISO 45001 for your choice. We mainly export to North America, South America and other countries in Europe and Africa and have good reputation in our customers. Hope we can cooperate with customers all the world.

We will always adhere the tenet of "be realistic, be being perfected, keep quality and seek for development" to create a excellent future.

*Innovation, pragmatism,  
and win-win outcomes*

创新 务实 共创 共赢





# Production

## 生产

专业的喷雾包装企业，完善的设备，高端的人才，合理的管理，精湛的生产工艺，满足客户对甬翔产品的期待。我们一直坚信用心去做一件事情的力量，让甬翔产品变得更好。

Professional spray packaging enterprises, perfect equipment, high-end talent, reasonable management, exquisite production technology.Meet customers' expectations of Yongxiang products. We always believe in the power of doing one thing with our heart, let Yongxiang product's getting better.

品质 + 管理 = Annual output ( 年产量 )  
**450,000,000**



# Sales

## 销售

优秀的营销团队，让更多客户认识甬翔，使用甬翔产品，感受甬翔的优质服务。甬翔不仅仅销售产品，更注重客户的使用体验，我们努力让客户在愉快的合作中不断发展。

Excellent marketing team, let more customers know Yongxiang, use Yongxiang products, feel Yongxiang's quality service. YongxiangWe not only sell products, but also pay more attention to customers' use experience. We strive to make customers develop in happy cooperation.

**We don't just sell products**  
**Pay more attention to service!**

我们不仅销售产品，更注重服务！



# Cosmetic

## Packaging





## Trigger Sprayer

---

手扣式喷雾系列 S/P34~43





## Mist Sprayer

---

喷雾系列 S/P44~51



## Treatment Pump

粉泵系列

S/P52~55



# Lotion Pump

乳波泵系列 S/P56~60

HOME  
&  
PERSONAL  
CARE

Lotion  
Pump  
乳波泵



# Foam Pump

泡沫泵系列 61~63



HOME  
&  
PERSONAL  
CARE

Nail Cleaning  
Pump  
洗甲水泵

Oil  
油



## Nail Cleaning Pump

洗甲水泵系列  
油系列

S/P64  
S/P65

Roll On Bottle  
滚珠瓶系列


S/P66

Drrop Bottle  
精油瓶系列

S/P67

Plant Mist Sprayer  
Bottle  
植物喷雾瓶系列

S/P68



## Plastic Cap

---

盖子系列 S/P69~70

# Roll On Bottle







# Cream

## Jar

膏霜瓶系列

S/P71~73



Product  
Details

产品详情

AIRLESS BOTTLE

801

Discharge Rate: 0.25ml/T



|              |                                  |       |       |
|--------------|----------------------------------|-------|-------|
| Capacity(ml) | 5                                | 10    | 15    |
| Diameter(Φ)  | 25.55                            | 25.55 | 25.55 |
| Height(mm)   | 64.6                             | 76.2  | 91.4  |
| Material     | Bottle:PP, Cover:PP, Actuator:PP |       |       |

802

Discharge Rate: 0.1ml/T



|              |                                  |       |        |
|--------------|----------------------------------|-------|--------|
| Capacity(ml) | 5                                | 10    | 15     |
| Diameter(Φ)  | 18.5                             | 18.5  | 18.5   |
| Height(mm)   | 74.85                            | 96.45 | 129.75 |
| Material     | Bottle:AS, Cover:AS, Actuator:PP |       |        |

AIRLESS BOTTLE

803A

Discharge Rate: 0.25ml/T



|              |                                  |      |      |
|--------------|----------------------------------|------|------|
| Capacity(ml) | 30                               | 50   | 75   |
| Diameter(Φ)  | 37.4                             | 37.4 | 37.4 |
| Height(mm)   | 93.8                             | 118  | 147  |
| Material     | Bottle:PP, Cover:PP, Actuator:PP |      |      |

803-1A

Discharge Rate: 0.25ml/T



|              |                                  |      |      |
|--------------|----------------------------------|------|------|
| Capacity(ml) | 30                               | 50   | 75   |
| Diameter(Φ)  | 37.4                             | 37.4 | 37.4 |
| Height(mm)   | 93.8                             | 118  | 147  |
| Material     | Bottle:PP, Cover:PP, Actuator:PP |      |      |

AIRLESS BOTTLE

803B

Discharge Rate: 0.25ml/T



PP/  
PP PCR

|              |                                  |      |      |
|--------------|----------------------------------|------|------|
| Capacity(ml) | 30                               | 50   | 75   |
| Diameter(Φ)  | 37.4                             | 37.4 | 37.4 |
| Height(mm)   | 93.8                             | 118  | 147  |
| Material     | Bottle:PP, Cover:PP, Actuator:PP |      |      |

803-1B

Discharge Rate: 0.25ml/T



PP/  
PP PCR

|              |                                  |      |      |
|--------------|----------------------------------|------|------|
| Capacity(ml) | 30                               | 50   | 75   |
| Diameter(Φ)  | 37.4                             | 37.4 | 37.4 |
| Height(mm)   | 93.8                             | 118  | 147  |
| Material     | Bottle:PP, Cover:PP, Actuator:PP |      |      |

AIRLESS BOTTLE

805A

Discharge Rate: 0.25ml/T



PP/  
PP PCR

|              |                                  |      |       |
|--------------|----------------------------------|------|-------|
| Capacity(ml) | 15                               | 30   | 50    |
| Diameter(Φ)  | 35.7                             | 35.7 | 35.7  |
| Height(mm)   | 77.1                             | 98.3 | 124.8 |
| Material     | Bottle:PP, Cover:PP, Actuator:PP |      |       |

805B

Discharge Rate: 0.25ml/T



PP/  
PP PCR

|              |                                  |      |       |
|--------------|----------------------------------|------|-------|
| Capacity(ml) | 15                               | 30   | 50    |
| Diameter(Φ)  | 35.7                             | 35.7 | 35.7  |
| Height(mm)   | 77.1                             | 98.3 | 124.8 |
| Material     | Bottle:PP, Cover:PP, Actuator:PP |      |       |

AIRLESS BOTTLE

806A

Discharge Rate: 1.0ml/T



|              |                                  |        |        |       |
|--------------|----------------------------------|--------|--------|-------|
| Capacity(ml) | 50                               | 100    | 150    | 200   |
| Diameter(Φ)  | 49                               | 49     | 49     | 49    |
| Height(mm)   | 97.15                            | 130.65 | 163.75 | 197.2 |
| Material     | Bottle:PP, Cover:PP, Actuator:PP |        |        |       |

806B

Discharge Rate: 1.0ml/T



|              |                                  |        |        |       |
|--------------|----------------------------------|--------|--------|-------|
| Capacity(ml) | 50                               | 100    | 150    | 200   |
| Diameter(Φ)  | 49                               | 49     | 49     | 49    |
| Height(mm)   | 97.15                            | 130.65 | 163.75 | 197.2 |
| Material     | Bottle:PP, Cover:PP, Actuator:PP |        |        |       |

AIRLESS BOTTLE

806C

Discharge Rate: 1.0ml/T



|              |                                  |        |        |       |
|--------------|----------------------------------|--------|--------|-------|
| Capacity(ml) | 50                               | 100    | 150    | 200   |
| Diameter(Φ)  | 49                               | 49     | 49     | 49    |
| Height(mm)   | 97.15                            | 130.65 | 163.75 | 197.2 |
| Material     | Bottle:PP, Cover:PP, Actuator:PP |        |        |       |

807

Discharge Rate: 0.25ml/T



Refillable  
内瓶可换

|              |                                                         |      |
|--------------|---------------------------------------------------------|------|
| Capacity(ml) | 30                                                      | 50   |
| Diameter(Φ)  | 40.3                                                    | 40.3 |
| Height(mm)   | 119                                                     | 153  |
| Material     | Out bottle:PET, Inner bottle:PP, Cover:PET, Actuator:PP |      |



AIRLESS BOTTLE

808

Discharge Rate: 0.25ml/T



|              |                                             |        |        |
|--------------|---------------------------------------------|--------|--------|
| Capacity(ml) | 15                                          | 30     | 50     |
| Diameter(Φ)  | 36.6                                        | 36.6   | 36.6   |
| Height(mm)   | 92.35                                       | 121.45 | 158.65 |
| Material     | Actuator:PP, Out bottle:AS, Inner bottle:PP |        |        |

809

Discharge Rate: 0.25ml/T



|              |                                             |        |        |
|--------------|---------------------------------------------|--------|--------|
| Capacity(ml) | 15                                          | 30     | 50     |
| Diameter(Φ)  | 36.6                                        | 36.6   | 36.6   |
| Height(mm)   | 92.56                                       | 121.66 | 158.86 |
| Material     | Actuator:PP, Out bottle:AS, Inner bottle:PP |        |        |

AIRLESS BOTTLE

810

Discharge Rate: 0.23ml/T



|              |                                  |     |     |     |
|--------------|----------------------------------|-----|-----|-----|
| Capacity(ml) | 20                               | 30  | 40  | 50  |
| Diameter(Φ)  | 32                               | 32  | 32  | 32  |
| Height(mm)   | 95                               | 110 | 126 | 141 |
| Material     | Bottle:PP, Cover:AS, Actuator:PP |     |     |     |

811



中节电镀

|              |                                  |     |     |
|--------------|----------------------------------|-----|-----|
| Capacity(ml) | 15                               | 30  | 50  |
| Diameter(Φ)  | 39                               | 39  | 39  |
| Height(mm)   | 100                              | 129 | 167 |
| Material     | Bottle:AS, Cover:AS, Actuator:PP |     |     |

AIRLESS BOTTLE

812

Discharge Rate: 0.23ml/T



Refillable  
内瓶可换

|              |                                               |     |
|--------------|-----------------------------------------------|-----|
| Capacity(ml) | 30                                            | 50  |
| Diameter(Φ)  | 40                                            | 40  |
| Height(mm)   | 105                                           | 130 |
| Material     | Cover:AS, Actuator:PP, Out bottle:AS, 中圈 :ABS |     |

813

Discharge Rate: 0.23ml/T



|              |                                                         |     |
|--------------|---------------------------------------------------------|-----|
| Capacity(ml) | 30                                                      | 50  |
| Diameter(Φ)  | 38                                                      | 38  |
| Height(mm)   | 114                                                     | 144 |
| Material     | Out bottle:AS, Inner bottle:PP, Cover:ABS, Actuator:ABS |     |

AIRLESS BOTTLE

814

Discharge Rate: 0.23ml/T



|              |                                  |     |     |
|--------------|----------------------------------|-----|-----|
| Capacity(ml) | 15                               | 30  | 50  |
| Diameter(Φ)  | 33                               | 33  | 33  |
| Height(mm)   | 95                               | 115 | 146 |
| Material     | Bottle:AS, Cover:AS, Actuator:PP |     |     |

815

Discharge Rate: 0.25ml/T



|              |                                  |     |     |
|--------------|----------------------------------|-----|-----|
| Capacity(ml) | 15                               | 30  | 50  |
| Diameter(Φ)  | 33                               | 33  | 33  |
| Height(mm)   | 106                              | 125 | 158 |
| Material     | Bottle:AS, Cover:AS, Actuator:PP |     |     |

AIRLESS BOTTLE

816

Discharge Rate: 0.23ml/T



|              |                                          |     |     |
|--------------|------------------------------------------|-----|-----|
| Capacity(ml) | 15                                       | 30  | 50  |
| Diameter(Φ)  | 34                                       | 34  | 34  |
| Height(mm)   | 94                                       | 112 | 143 |
| Material     | Inner bottle:PP, Actuator:PP, Bottle:ABS |     |     |

817

Discharge Rate: 0.23ml/T



|              |                                  |     |     |
|--------------|----------------------------------|-----|-----|
| Capacity(ml) | 15                               | 30  | 50  |
| Diameter(Φ)  | 31                               | 31  | 31  |
| Height(mm)   | 105                              | 123 | 162 |
| Material     | Bottle:AS, Cover:AS, Actuator:PP |     |     |

AIRLESS BOTTLE

818

Discharge Rate: 0.15ml/T



|              |                                                     |     |     |
|--------------|-----------------------------------------------------|-----|-----|
| Capacity(ml) | 5                                                   | 10  | 15  |
| Diameter(Φ)  | 23                                                  | 23  | 23  |
| Height(mm)   | 115                                                 | 130 | 150 |
| Material     | Cover:AS, Head:PP+Metal, Bottle:AS, Inner bottle:PP |     |     |

819

Discharge Rate: 0.15ml/T



|              |                                                     |     |     |
|--------------|-----------------------------------------------------|-----|-----|
| Capacity(ml) | 5                                                   | 10  | 15  |
| Diameter(Φ)  | 23                                                  | 23  | 23  |
| Height(mm)   | 115                                                 | 130 | 150 |
| Material     | Cover:AS, Head:PP+Metal, Bottle:AS, Inner bottle:PP |     |     |

AIRLESS BOTTLE

820



|              |                                  |     |     |
|--------------|----------------------------------|-----|-----|
| Capacity(ml) | 15                               | 30  | 50  |
| Diameter(Φ)  | 33                               | 33  | 33  |
| Height(mm)   | 104                              | 120 | 132 |
| Material     | Bottle:AS, Cover:AS, Actuator:PP |     |     |

821



|              |                                                                  |    |    |
|--------------|------------------------------------------------------------------|----|----|
| Capacity(ml) | 15                                                               | 30 | 50 |
| Diameter(Φ)  | 54                                                               | 54 | 62 |
| Height(mm)   | 66                                                               | 77 | 83 |
| Material     | Cover:PET/ABS,Out bottle:PET/ABS,Inner bottle□PP□Actuator:PP+ABS |    |    |

AIRLESS BOTTLE

822



|              |                                                                  |    |    |
|--------------|------------------------------------------------------------------|----|----|
| Capacity(ml) | 15                                                               | 30 | 50 |
| Diameter(Φ)  | 54                                                               | 54 | 62 |
| Height(mm)   | 66                                                               | 77 | 83 |
| Material     | Cover:PET/ABS,Out bottle:PET/ABS,Inner bottle□PP□Actuator:PP+ABS |    |    |

823



|              |                                                                  |    |
|--------------|------------------------------------------------------------------|----|
| Capacity(ml) | 30                                                               | 50 |
| Diameter(Φ)  | 61                                                               | 68 |
| Height(mm)   | 73                                                               | 86 |
| Material     | Cover:PET/ABS,Out bottle:PET/ABS,Inner bottle□PP□Actuator:PP+ABS |    |



# TRIGGER SPRAYER

**301** Series

Discharge Rate:  
0.80-1.20ml/T

Trigger  
Sprayer

简易枪



28/400,28/410,28/415,Anti theft ring  
CY301-1



28/400,28/410,28/415,Anti theft ring  
CY301-2



28/400,28/410,28/415,Anti theft ring  
CY301-2N



28/400,28/410,28/415,Anti theft ring  
CY301-3



28/400,28/410,28/415,Anti theft ring  
CY301-4



28/400,28/410,28/415,Anti theft ring  
CY301-5

# TRIGGER SPRAYER

**301** Series

Discharge Rate:  
0.80-1.20ml/T

Trigger  
Sprayer

简易枪



28/400,28/410,28/415,Anti theft ring  
CY301-6



28/400,28/410,28/415,Anti theft ring  
CY301-7




28/400,28/410,28/415,Anti theft ring  
CY301-8



28/400,28/410,28/415,Anti theft ring  
CY301-9

## Nozzle Options



## Trigger Options



## Closure Type Options



# TRIGGER SPRAYER

## 302 Series

Discharge Rate:  
1.00-1.20ml/T

Trigger  
Sprayer

斜泵枪



28/400,28/410,28/415,Anti theft ring  
CY302-1



28/400,28/410,28/415,Anti theft ring  
CY302-2



28/400,28/410,28/415,Anti theft ring  
CY302-3



28/400,28/410,28/415,Anti theft ring  
CY302-4



28/400,28/410,28/415,Anti theft ring  
CY302-5

# TRIGGER SPRAYER

## 302 Series



28/400,28/410,28/415,Anti theft ring  
CY302-6



28/400,28/410,28/415,Anti theft ring  
CY302-7

### 302-1 NozzleOptions




Spray/Stream      Foam

### 302-2 Nozzle Options



Spray/Spray      Foam

### Trigger Options



A      B      C  
Normal Trigger      Big Trigger      Two Finger Trigger

### Closure Type Options



Ribbed      Alum.

# TRIGGER SPRAYER

## 303 Series

Discharge Rate:  
1.20-1.40ml/T

All Plastic  
Trigger  
Sprayer

全塑枪



28/400,28/410  
CY303-1



28/400,28/410  
CY303-2



28/400,28/410  
CY303-3



28/400,28/410  
CY303-4



28/400,28/410  
CY303-5

# TRIGGER SPRAYER

## 304 Series

Discharge Rate:  
0.27±0.05ml/T

Flower King  
Trigger  
Sprayer

花王枪



24/410,28/410  
CY304-1



24/410,28/410  
CY304-2

### Lock Options



Move



滑轨  
OFF/ON

# TRIGGER SPRAYER

## 305 Series

Discharge Rate:  
0.2ml/T

Mini  
Trigger  
Sprayer

迷你枪

Discharge Rate:  
0.35ml/T

Lock Options



24/410,28/410  
CY305-2



24/410,28/410  
CY305-4



20/410,24/410,28/410  
CY305-3



20/410,24/410,28/410  
CY305-5



Clip

Button

# TRIGGER SPRAYER

## 306 Series

Discharge Rate:  
0.5±0.05ml/T

Mini  
Trigger  
Sprayer

迷你枪

Closure Type Options



24/410,28/410  
CY306-1



Smooth



Ribbed



# TRIGGER SPRAYER

## 307 Series

Discharge Rate:  
0.70-0.80ml/T

Garden  
Trigger  
Sprayer

园艺枪



28/400,28/410  
CY307-1



28/400,28/410  
CY307-2



28/400,28/410  
CY307-3

## 307 Series

Discharge Rate:  
1.20±0.02ml/T

Garden  
Trigger  
Sprayer

园艺枪



28/400,28/410  
CY307-4



28/400,28/410  
CY307-5

# TRIGGER SPRAYER

## 307 Series

Discharge Rate:  
1.00±0.02ml/T

Garden  
Trigger  
Sprayer

园艺枪



28/400,28/410  
CY307-6

## 307 Series

Discharge Rate:  
1.50±0.02ml/T

Garden  
Trigger  
Sprayer

园艺枪



28/400,28/410  
CY307-7

# MIST SPRAYER

**201** Series

Discharge Rate:  
0.12-0.14ml/T

Fine  
Mist  
Sprayer

小喷雾



18/410 Ribbed  
CY201-1A



18/410 Ribbed  
CY201-1B



18/415 Ribbed  
CY201-2



20/410 Ribbed/Smooth  
CY201-2



20/415 Ribbed/Smooth  
CY201-3



22/400 Smooth  
CY201-4

# MIST SPRAYER

**201** Series

Discharge Rate:  
0.12-0.14ml/T

Fine  
Mist  
Sprayer

小喷雾



24/410 Ribbed/Smooth  
CY201-5



28/410 Ribbed  
CY201-7

## Cover Options



Half  
18~28mm

Full  
20/410, 24/410

Alu.Full  
18/410, 20/410  
24/410

## Closure Type Options



Ribbed

Smooth

UV

Alum.

Water transfer

# MIST SPRAYER

## 208 Series

Discharge Rate:  
0.12-0.14ml/T

Ultra Nanoscale  
Fine Mist  
Sprayer

超纳米级细雾



30mm Plastic, Screw on  
CY208-1



30mm Plastic, Snap on  
CY208-2

### Closure Type Options



Screw on



Snap on

# MIST SPRAYER

## 205 Series

Discharge Rate:  
0.12-0.14ml/T

Oral  
Sprayer

口腔喷雾



18/410, 18/415, 20/410,  
20/415, 22/400, 24/410  
CY205-1



18/410, 18/415, 20/410,  
20/415, 22/400, 24/410  
CY205-2

### Nozzle Width Options




10mm



20mm


### Nozzle length Options



L:35mm



L:55mm




L:65mm



L:75mm

### Closure Type Options



Ribbed



Smooth

# MIST SPRAYER

## 205 Series

Discharge Rate:  
0.12-0.14ml/T

Oral  
Sprayer

口腔喷雾



18/410,18/415,20/410,  
20/415,22/400,24/410  
CY205-3

### Closure Type Options



Ribbed



Smooth

## 205 Series

Discharge Rate:  
0.13-0.15ml/T

Oral  
Sprayer

口腔喷雾



15/400,20/400  
CY205-4

### Closure Type Options




10mm



20mm


### Nozzle length Options



L:35mm



L:55mm



L:65mm



L:75mm

# MIST SPRAYER

## 206 Series

Discharge Rate:  
0.12-0.14ml/T

Nasal  
Sprayer

鼻腔喷雾



18/410,18/415,20/410,  
20/415,22/400,24/410  
CY206-1



18/410,18/415,20/410,  
20/415,22/400,24/410  
CY206-2



18/410,18/415,20/410,  
20/415,22/400,24/410  
CY206-4

## 206 Series

Discharge Rate:  
0.13-0.15ml/T

Nasal  
Sprayer

鼻腔喷雾



15/400,20/400  
CY206-3

# MIST SPRAYER

## 206 Series

Discharge Rate:  
0.12-0.14ml/T

Nasal  
Sprayer

鼻腔喷雾



30mm  
CY206-4A



CY206-4B

## 202 Series

Discharge Rate:  
0.12ml/T

Perfume  
Sprayer

香水喷雾



15/400,20/400  
CY202

## 208 Series

Discharge Rate:  
0.12ml/T

Perfume  
Sprayer

香水喷雾



15mm,20mm,24mm  
CY208A

# MIST SPRAYER

## 209 Series

Discharge Rate:  
2.00ml/T

Disinfection  
Pump

消毒泵



24/410,28/410 PP  
CY209-1



24/410,28/410 PP  
CY209-1

Nozzle length Options



## 209 Series

Discharge Rate:  
4.00ml/T

Disinfection  
Pump

消毒泵



28/410,38/400 P  
CY209-3



# TREATMENT PUMP

500 Series

Treatment Pump

粉泵



20/410  
CY501



20/410  
CY502

Outside Spring Options




A



20/410  
CY503



20/410  
CY504



B



20/410  
CY505



20/410  
CY506

# TREATMENT PUMP

500 Series

Treatment Pump

粉泵



20/410  
CY507



20/410  
CY508



20/410,24/410  
CY509



24/410  
CY510



24/410  
CY513



20/410  
CY514

# TREATMENT PUMP

500 Series

Treatment Pump

粉泵



20/410,24/410  
CY515



20/410  
CY516



20/410  
CY517



20/410,24/410  
CY518



18/400  
CY519



24/410  
CY520

# TREATMENT PUMP

500 Series

Treatment Pump

粉泵




20/410,24/410  
CY521



24/410  
CY522



18/410  
CY523



20/410  
CY524

# LOTION PUMP

**101** Series

Discharge Rate:  
2.00-2.20ml/T

Left-Right  
Lock

左右开关泵



24/410,28/410  
CY101-1



24/410,28/410  
CY101-2



24/410,28/410  
CY101-3




24/410,28/410  
CY101-4



24/410,28/410  
CY101-5


# LOTION PUMP

Clip Options



A B C

Pump Options



Inner Spring Outer Spring

Closure Type Options



Ribbed Smooth



UV Alum Water transfer Bamboo

# LOTION PUMP

**102** Series

Discharge Rate:  
1.60-2.00ml/T

Screw Down  
Pump

螺纹开关泵



24/410,28/410  
CY102-1



24/410,28/410  
CY102-2



24/410,28/410  
CY102-3



24/410,28/410  
CY102-4



24/410,28/410  
CY102-5



24/410,28/410  
CY102-6

# LOTION PUMP

**102** Series

Discharge Rate:  
1.60-2.00ml/T

Screw Down  
Pump

螺纹开关泵



24/410,28/410  
CY102-7



24/410,28/410  
CY102-8

Closure Type Options



Ribbed



Smooth



UV



Alum



Water transfer



Bamboo

# LOTION PUMP

## 103 Series

Discharge Rate:  
4.00ml/T

Screw Down  
Pump

螺纹开关泵



28/410,33/400,33/410,38/400  
CY103-1



28/410,33/400,33/410,38/400  
CY103-2



28/410,33/400,33/410,38/400  
CY103-3

## 104 Series

Discharge Rate:  
2.00ml/T

Screw Down  
Pump

夹子泵



20/410,24/410,28/410  
CY104

# FOAM PUMP

## 601 Series

Discharge Rate:  
0.20-0.30ml/T

Inner  
Spring

内置弹簧



28/410,33/400,33/410,38/400  
CY103-1



28/410,33/400,33/410,38/400  
CY103-2



28/410,33/400,33/410,38/400  
CY103-3

## 601 Series

Discharge Rate:  
0.60-0.80ml/T

Inner  
Spring

内置弹簧



Φ40mm  
CY601-3



28/410,33/400,33/410,38/400  
CY103-2



# FOAM PUMP

**602** Series

Discharge Rate:  
0.20-0.30ml/T

Outer  
Spring

外置弹簧



28mm  
CY602-1



30mm  
CY602-2



20/410,24/410  
CY602-6

# FOAM PUMP

**602** Series

Discharge Rate:  
0.60-0.80ml/T

Outer  
Spring

外置弹簧



40mm  
CY602-3



42mm  
CY602-4



42/410  
CY602-7



42/410  
CY602-8



42/410  
CY602-9

# NAIL CLEANING PUMP

## 400 Series

Discharge Rate:  
0.75-0.80ml/T

Outer  
Spring

外置弹簧



Φ24,Φ28,Φ33  
CY401



Φ24,Φ28  
CY402



Φ24,Φ28,Φ33  
CY401



Φ24  
CY405



Φ28  
CY406

# OIL

## 105A Series

Discharge Rate:  
2.00ml/T

Oil  
Pump

油泵



20/410,24/410,28/410  
CY105A

## 105B Series

Discharge Rate:  
0.25ml/T

Oil  
Sprayer

油喷



18/410,20/410,20/415,24/410,28/410  
CY105B

### Cover Options



Half  
20~28mm



Full  
20~28mm

### Closure Type Options



Ribbed



Smooth

# ROLL ON BOTTLE

901

Series

Roll On  
Bottle

滚珠瓶



CY901-1  
Volume:30ml 60ml  
Material:PP  
Specfications:39x67mm



CY901-2  
Volume:30ml 60ml  
Material:PP  
Specfications:39x99mm



CY901-3  
Volume:60ml  
Material:PETG  
Specfications:50x93mm



CY901-4  
Volume:60ml  
Material:PETG  
Specfications:50x93mm



CY901-5  
Volume:25ml  
Material:PETG  
Specfications:38x70mm

# ROLL ON BOTTLE

902

Series

Deodorant  
Stick

香体膏



4.2g,PP  
CY902-1



4.2g,PP  
CY902-1



4.8g,PP  
CY902-3



17g,P  
CY902-4



15g,PP  
CY902-5



15g,PP  
CY902-6



17g,P  
CY902-7



25g,PP  
CY902-8

# PLANT MIST SPRAYER

**400** Series

Discharge Rate:  
1.50ml/T

Plant  
Mist  
Sprayer

植物喷雾器




Φ33  
CY701-1




Φ33  
CY701-2



Φ33  
CY702-1



Φ33  
CY702-2



Φ33  
CY702-3



Φ33  
CY702-4

# CAP



18/410,20/410,24/410,28/410  
CY1001-1



20/415  
CY1001-2



CY1001-3



24/410  
CY1001-4



CY1001-5



20/410,24/410,28/410  
CY1001-6



20/410,24/410,24/415,28/410  
CY1002-1



CY1002-2



18/410,20/410,20/415  
24/410,20/410,28/415  
CY1003-1



28/400,28/410  
CY1003-2



20/410,24/410,28/410  
CY1003-3



CY1003-4

# CAP



20/410,24/410  
CY1003-5



22/410  
CY1003-6



CY1003-7



24/410,28/410  
CY1004-1



24/410,28/410  
CY1004-2



28/41010  
CY1004-3



20/410,24/410,28/410  
CY1005-1



20/410,24/410,28/410  
CY1005-2



20/410,24/410,28/410  
CY1005-3



20/410  
CY1005-4

# CREAM JAR

## 1101



|             |                      |      |      |      |      |      |      |
|-------------|----------------------|------|------|------|------|------|------|
| Capacity(g) | 5                    | 10   | 20   | 30   | 50   | 100  | 200  |
| Diameter(Φ) | 35                   | 43.5 | 47.5 | 55.5 | 61.5 | 72.4 | 82   |
| Height(mm)  | 26                   | 32.5 | 43.5 | 49.5 | 57.2 | 60.2 | 71.5 |
| Material    | Jar:PP,Lid:PP,Cap:PP |      |      |      |      |      |      |

## 1102



|             |                      |      |      |      |    |      |    |
|-------------|----------------------|------|------|------|----|------|----|
| Capacity(g) | 3                    | 5    | 10   | 15   | 30 | 80   | 50 |
| Diameter(Φ) | 33.6                 | 33.6 | 38.7 | 45.8 | 59 | 78.5 | 66 |
| Height(mm)  | 27.5                 | 27.5 | 32.6 | 39   | 42 | 55   | 48 |
| Material    | Jar:PP,Lid:PP,Cap:PP |      |      |      |    |      |    |



CREAM JAR

1103



|             |                      |    |    |
|-------------|----------------------|----|----|
| Capacity(g) | 20                   | 30 | 50 |
| Diameter(0) | 54                   | 54 | 54 |
| Height(mm)  | 31                   | 41 | 55 |
| Material    | Jar:PP,Lid:PP,Cap:PP |    |    |

CREAM JAR

1105



|             |                      |    |     |
|-------------|----------------------|----|-----|
| Capacity(g) | 15                   | 30 | 50  |
| Diameter(0) | 41                   | 49 | 56. |
| Height(mm)  | 33                   | 44 | 51  |
| Material    | Jar:PP,Lid:PP,Cap:PP |    |     |

1104



|             |                      |    |    |
|-------------|----------------------|----|----|
| Capacity(g) | 20                   | 30 | 50 |
| Diameter(0) | 54                   | 54 | 54 |
| Height(mm)  | 31                   | 41 | 61 |
| Material    | Jar:PP,Lid:PP,Cap:PP |    |    |

1106



|             |                         |    |      |    |     |
|-------------|-------------------------|----|------|----|-----|
| Capacity(g) | 5                       | 15 | 30   | 50 | 100 |
| Diameter(0) | 35                      | 40 | 51   | 56 | 73  |
| Height(mm)  | 24                      | 35 | 38.5 | 49 | 50  |
| Material    | Jar:PETG,Lid:ABS,Cap:PE |    |      |    |     |